INDEX

Acronycta rumicis, 120
Alabama argillacea, 280
Alberta moth trap, 214–220
Alfalfa webworm, 280
Alkaline waters, 339–345
American Association of Economic Entomologists
  Auditing committee report, 15
  Business proceedings, 1
  Executive committee report, 7
  Index committee report, 10
  JOURNAL report, 4
  JOURNAL statement, 20
  Membership committee, 17
  National Museum committee report, 11
  National research council, report of representative, 8
  Nomenclature committee report, 9
  Policy committee report, 12
  Resolutions committee, 15
  Secretary's report, 3
American foul brood, 315
Ancylis comptana, 356–360
Annales des Epiphyties, 249
Anomala orientalis, 311
Ant control, 329–333
Anthonomus signatus, 244–245
Anti-Mosquito convention, 182
Ant poison, 333
Anuraphis persicaeniger, 278
Aphis brassicae, 83
  gossypii, 278
  houghtonensis, 278
  maidis, 351
Apiary practise, 121–124
Aporia crataegi, 120
Apple red bug, 318
  skeletonizer, 374
  sucker, 96–101
Argentine ant, 108, 113, 261–264
Arsenate of lead, 67–70
Arsenate of lime, 71–73
Arsenic, white, 73–75
Arsenicals, cheaper, 71–75
Aspidiotus perniciosus, 281

Baker, A. C., 312
Barber, E. R., 105, 108
Bassinger, A. J., 404–419
Bean leaf hopper, 298–302
Beekeeping and climate, 143–146
Bees, drones, 430–432
  new disease, 177
  physical characters and honey storing, 125–129
  queens, 430–432
  temperatures of individuals, 134
  time and labor factors, 129–134
Beet leaf hopper, 182, 247, 318, 365–368, 404–419
Beyer, A. H., 298–302
Birch skeletonizer, 374
Bishopp, F. C., 90–95, 105, 264
Black peach aphis, 278
Blapstinus coronadensis, 363–365
  dilatatus, 363–365
Blissus leucopterus, 352
Blister beetles, 280
Boom nozzle, 87–90
Bordeaux for hopper-burn, 295–298
Borodin, D. N., 172–176
Brinley, F. J., 302–303
Brittain, W. H., 96–101
Britton, W. E., 275–276, 311, 374
Bruchus quadri-maculatus, 391–395
Brues, C. T., 249
Bucculatrix canadensisella, 374
Bulb mite, 179

Cabbage aphis, 83
  maggot, 240, 278
Cadelle, 240–243
Caesar, Lawson, 40–42
Campbell, R. E., 363–365
Camphor scale, 105
Camponotus cayae, var. rasilis, 114
Carbon bisulphide, 373
  dioxide, 425–430
Carpocapsa pomonella, 193–199
Carpophilus hemipterus, 260
Cartwright, W. B., 360–363
Celama sorghiella, 350
Ceratomegilla fuscilabris, 235
Cheimatobia sp., 374
Chinch bug, 180, 353
Chloridea obsoleta, 280, 333–339, 352
Chrysomphalus aurantii, 400–404
Clarke, W. T., 329–333
Clover bud-worm, 277
  leaf weevil, 277
Codling moth, 193–199, 371
Comstock, J. H., 31–34
Cooperation, colleges and rural schools, 54–58
Corn borer conference, 274, see also European cornborer
  ear worm 280
  leaf aphis, 350
Cotton boll weevil, 345–349
Cotton caterpillar, 280
Cotton dusting, 110
Cotton States Entomologists, 105–112
Cottony cushion scale, 246
  maple scale, 279

Crawford, H. G., 222–226, 231–236, 239
Cremastogaster lineolata, 114
Criddle, Norman, 221
Crop Protection Institute, 179, 209–213
Cryptochaetum sp., 246
Ctenocephalus canis, 94
felis, 94
Cucumber beetle, striped, 278
Currant aphis, 83

Davis, J. J., 155, 277–282
Dean, G. A., 44–53
DeLong, D. M., 87–90
DeOng, E. R., 247, 339–345, 432
Derris, 90–95
Diabrotica vittata, 278
Disonycha maritima, 312
Doucette, C. F., 204–209
Dried fruit beetle, 260
Duruz, W. P., 395–400
Dusting with aeroplane, 85
Dusts, contact, 75–81
for codling moth, 371
for sucking insects, 82–85

Echidnophaga gallinacea, 95
Economic entomology, 44–53
Eleodes hispilabris, 112
Empoasca mali, 288–302
Entomologists dinner, 23
Entomology in Russia, 172–176
Eois ptelearia, 433
Epidiaspis piricola, 250
Epilachna corrupta, 265–274, 373
Erythroneura comes, 87–90
Essig, E. O., 181, 182, 246, 247, 260
Eulia mariana, 310–311
quadrifasciana, 311
velutinana, 310
Eumerus strigatus, 433
European corn borer, 222–238, 434
red mite, 181
Eutettex tenella, 182, 247, 318, 365–368, 404–419
Exorista nigripalpis, 235

Fall army worm, 280
Felt, E. P., 59, 236–238, 433
Fenton, F. A., 288–295–298
Fischer, A. K., 373
Flea, beetle, black, 278
cat and dog, 94
sticktight, 95
Fletcher, T. B., 249
Foul brood, American, 138–143, 315
Fracker, S. B., 138–143, 167–169
Frost, S. W., 102–104, 272, 310, 311

Gipsy moth, 170–172, 374, 434
Glenn, P. A., 193–199
Gooseberry aphis, 278
Gossard, H. A., 60, 221
Grape leaf hopper, 87–90
Green soldier bug, 433

Hadley, C. H., 62–66
Harned, R. W., 149–153, 261–264
Hartung, W. J., 365–368
Hartzell, A., 295–298
Hawley, I. M., 388–391–399
Hayes, W. P., 349–356
Headlee, T. J., 75–81, 170–172
Heliothis obsoleta, 268
Hemerophila pariana, 374
Herrick, G. W., 240, 282–288
Hessian fly control, 221, 281, 360–363
Heterocordylus malinus, 82, 318
Heterostomus pulicarius, 311
Hinds, W. E., 107
Holland, W. J., 434
Honey bees, 368–371, 430–432
Hopperburn, 288–295
Horticultural inspection, 146
House fly, 425–430
Houser, J. S., 85
Howard, L. O., 25–30, 315, 374, 420
Howard, N. F., 265–274
Hunter, S. J., 59
Hydrellia scapularis, 432
Hydrocyanic -acid gas, 200–203
Hylemyia cilicrura, 355
Hypoderma bovis, 211
lineata, 211

Insects and Human Welfare, 249
Ips plastographus, 180
radiatae, 180
Iridomyrmex analis, 114
humilis, 113
Isle-of-Wight disease, 177

Japanese beetle, 62–70, 302–310
Jones, W. W., 112, 180, 433

Kafir ant, 354
Kelly, E. G., 54–58
Kelsall, A., 71–75
Kimball, H. H., 149–153

Laake, E. W., 90–95, 264
Lamiman, J. T., 250, 257
Laphygma frugiperda, 268, 280
Larson, A. O., 391–395
Leach, B. R., 302–305
Lepidosaphes ulmi, 279
Leptoglossus zonatus, 352
Linognathus setosus, 93
vituli, 92
List, G. M., 373
Loxostege similalis, 280
Luginbill, Philip 180
Lygidea mendax, 82, 102–104

Macrodactylus subspinosus, 279
Macrosiphum solanifolii, 75, 84

Maple case bearer, 240, 282–288
Marcovitch, S., 244–245
McColloch, J. W., 240–243, 333–339
McLaine, L. S., 162–167, 227–231
Mealy bug on pear, 181
Megilla maculata, 235
Melon aphis, 278
Mercury as an insecticide, 391–395
Merodon equestris, 433
Merrill, J. H., 125–129
Metcalf, Z. P., 276
Mexican bean beetle, 107, 265–274, 373
Miller memorial library, 181
Molasses poisoned, 214–220
Monomorium destructor, 329–333
minimum, 113
pharaonis, 113
Moore, Wm., 67–70, 81
Mosquito control, 182
Moth trap, Alberta, 214–220
Musca domestica, 425–430

Neillie, C. R., 85
Nezara hilaris, 433
Nicodust, 247
Nicotine delivery, 421–424
Nursery conditions in Holland, 162–167
Nursery stock, insects on, 158–162

Ocnerostoma piniariella, 432
O'Kane, W. C., 60, 209–213
Orchestes rufipes, 179
Organization meeting, 26
Osborn Herbert, 35–39
Ox-warble, 264
Oyster shell scale, 279

Paddock, F. B., 134–138
Paraclemensia acerifolia, 282–288
Paradichlorobenzene, 178, 200, 246
Paratetranychus pilosus, 246, 372
Parholcomyrmex destructor, 329–333
Paria canella, 204–209
Park, Wallace, 129–134
Parrott, P. J., 61, 82–85
Patch, E. M., 373
Peach tree borer, 200, 281
twig-borer, 395–400
Pear scale, 250
Pectinophora gossypiella, 313
Pest control, legal aspects, 167–169
Peterson, Alvah, 200
Pettit, Morley, 121–124
Pheidole sp., 355
Phenacoccus colemani, 257
Phillips, E. F., 181, 368–371, 430–432
Phorbia brassicae, 278
Phyllocoptes cornutus, 372
Phytonomus nigrirostris, 277
punctatus, 277
Phytophaga destructor, 281, 360–363
Pink bollworm, 110, 313
Pirsch, G. B., 134
Poisons for Japanese beetle, 67–70
in French colonies, 314
Popillia japonica, 62, 70, 302–310
Porosagrotis orthogonia, 214–220
Potato aphis, 84
Aroostook, insects, 372–373
Primm, J. K., 179
Prodenia ornithogalli, 268
Pseudaonidia duplex (camphor scale), 105
Pseudococcus calceolariae, 261
longisetosus, 257
maritimus, 181
Psyllia mali, 96–101
Pulvinaria vitis, 279
Pyrausta nubilalis, 222–238

Quayle, H. J., 371, 400–404
Queens, cost of poor, 134–138

Red bugs, 82, 102–104
mite, European, 246
Ressler, I. L., 288–295
Rhizoglyphus hyacinthi, 179
Rice leaf miner, 432
Richardson, C. H., and E. H., 425–430
Rose beetle, 279
Rudolfs, W., 75–81, 421–424
Ruggles, A. G., 146–149

Sanders, G. E., 71–75
Sandford, H. L., 433
San Jose scale, 281
Sanninoidea exitiosa, 281
Sasscer, E. R., 154, 158–162, 200–203
Scale, resistant, 400–404
Schistocerca americana, 247
Schwing, E. A., 365–368
Seed corn maggot, 275–276, 355
Severin, H. H. P., 182, 247, 312, 318, 404–419
Sheep foot louse, 247
Smith, L. B., 305–310
Smith, M. R., 114, 261–264
Snapp, O. I., 247
Solenopotes capillatus, 92
Solenopsis geminata, 113, 268
molesta, 113, 354
Sorghum insects, 349–356
Spencer, G. J., 222–226, 231–236
Sticky bands, 373
Stictocephala festina, 112
Strawberry leaf roller, 356–360
root worm, 204–209
weevil, 244–245
Strickland, E. H., 214–220
Sugar-beet root-maggot, 388–391
Sulphur investigations, 114
Sweet potato inspection, 149–153;
weevil, 107

Temperature and colding moth, 193
Tenebroides mauritanicus, 240–243
Tent caterpillars, 373
Tetanops aldrichi, 388–391
Tetramorium guineense, 114
Tetranychus citri, 181
Tobacco flea beetle, 276
Townsend, K. H., 110
Treherne, R. C., 240
Trialeurodes vaporariorum, 312
Trichodectes scalaris, 91

Van Dycke, E. C., 180

Wadley, F. M., 356–360
Wakeland, Claude, 113
Walling, W. L., 316
Walton, W. R., 58
Warren, D. C., 345–349
Weigel, C. A., 200–203, 204–209
Wellhouse, W. H., 318
Wells, R. W., 90–95, 264
Wheat stem sawfly, western, 221
White grubs, 280
Wilson, H. F., 143–146
Wolcott, G. N., 314

Zoological Record, 180

IMPORTANT NOTICE TO ALL SUBSCRIBERS

¶ All Subscribers are requested to notify the Business Manager if any change of address is desired.

¶ The Mailing List is carefully prepared for each issue and each subscriber is requested to immediately report any failure to receive the Journal. Unless such Notice is received from Subscribers in the United States within sixty days or from foreign Subscribers within ninety days from date of mailing the issues, the missing numbers will be furnished only at the regular published rate.

A. F. BURGESS, Business Manager

MELROSE HIGHLANDS, MASS., U. S. A.